

Patient Name:	
Procedure:	Date

## Informed Consent for PRP Procedures

Platelet Rich Plasma, also known as PRP. PRP is derived from the patient's own blood in the following manner. A fraction of blood (60cc) is drawn from the individual patient into a syringe. This is a relatively small amount compared to blood donation. The blood is spun in a special centrifuge to separate its components (Red Blood Cells, Platelet Rich Plasma, Platelet Poor Plasma and Buffy Coat).

The Platelet Rich Plasma and Buffy Coat collected into a syringe. A sterile Calcium Chloride 10% solution is added to the PRP. Calcium Chloride works to activate the platelets, thus leading to liberation of growth factors and healing elements. The activated platelets are then injected strategically as a medical intervention. As the platelets organize in the clot they release a number of enzymes to promote healing and tissue responses including attracting stem cells and growth factors to repair damaged tissue and cause regeneration and rejuvenation.

The full procedure may take between 15-45 minutes. Often 2-3 treatments are advised, however, more or less may be necessary for some individuals. It is often recommended that treatments be done once a year after the initial group of treatments to continue regeneration and maintain or enhance the results. The use of PRP for anything other than mixing with bone marrow is considered "off label" and EXPERIMENTAL.

PRP'S SAFETY has been established for over 20 years for its wound healing properties and it's theoretical effectiveness has extended across multiple medical specialties including cardiovascular surgery, orthopedics, sports medicine, podiatry, ENT, neurosurgery, dental and maxillofacial surgery (dental implants and sinus elevations), urology, dermatology (chronic wound healing), and ophthalmology, cosmetic surgery.

BENEFITS of PRP: PRP is autologous (using your own blood) therefore eliminating allergies. PRP has been shown to have tissue regenerating effects. Other benefits include: minimal down time, safe with minimal risk, short recovery time, and no general anesthesia is required.

CONTRAINDICATIONS: PRP use is safe for most individuals between the ages of 18-80. There are very few contraindications, however, patients with the following conditions are not candidates:

- 1. Pregnancy or Lactation
- 2. Acute and Chronic Infections
- 3. Skin diseases (i.e. SLE, porphyria, allergies)
- 4. Cancer
- 5. Chemotherapy treatments
- 6. Severe metabolic and systemic disorders
- Abnormal platelet function (blood disorders, i.e. Hemodynamic Instability, Hypofibrinogenemia, Critical Thrombocytopenia)
- 8. Chronic Liver Disease
- 9. Anti-coagulation therapy (Coumadin, Warfarin, Plavix, Aspirin, Lovenox)
- 10. Underlying Sepsis
- 11. Systemic use of corticosteroids within two weeks of the procedure.

RISKS & COMPLICATIONS: Some of the Potential Side Effects of Platelet Rich Plasma include:

- 1. Pain at the injection site
- 2. Bleeding, Bruising and/or Infection as with any type of injection
- 3. Short lasting pinkness/redness (flushing) of the skin
- 4. Allergic reaction to the solution, an/or topical anesthetic



Patient Name:	
Procedure:	Date

- 5. Injury to a nerve and/or muscle as with any type of injection
- 6. Itching and swelling at the injection site(s)
- 7. Minimal or no effect from the treatment

#### **ALTERNATIVES to PRP: Alternatives to PRP are:**

- 1. Do Nothing
- 2. Surgical intervention may be a possibility
- 3. Administration of approved medications
- 4. Physical Therapy
- 5. Laser or other ablative technology

Additional Procedure Specific Risks: In addition to the risks of PRP procedure stated above.

#### Planned Procedure

## O-Shot - I acknowledge that the following is a risk of the O-Shot PRP Procedure:

- No effect at all
- Hematuria (blood in urine)
- · Hypersexuality (over active sex drive)
- Increased sexual arousal
- Increased vaginal lubrication

# Priapus Shot - I acknowledge that the following is a risk of the Priapus Shot PRP Procedure:

- No effect at all
- Hematuria (blood in urine)
- · Hypersexuality (over active sex drive)
- Increased sexual arousal

## Studio Scalp - I acknowledge that the following is a risk of the Studio Scalp PRP Procedure:

- No effect at all
- Hair Loss
- Swelling that may extend into the tissue around the eyes (may last several days)

# Pain Free PRP - I acknowledge that the following is a risk of the Pain Free PRP Procedure:

- No improvement of pain
- Worsening of pain
- Temporary weakness or numbness

### Vampire Facelift

- There is a risk that small lumps may form under your skin due to the injectable
  material collecting in one area. You may be able to feel the injected material in the
  area where the material has been injected. Any foreign material injected into the body
  may create the possibility of swelling or other local reactions to a filler material.
- The injected material may move from the place where it was injected.
- Fillers should not be used in patients with severe allergies, history of anaphylaxis, history or presence of multiple severe allergies, or hypersensitivity to any of the ingredients in the filler material.
- The safety of dermal fillers in patients with known susceptibility to keloidformation or hypertrophic scarring has not been studied.
- Fillers can be accidentally injected into a blood vessel, which may block the blood vessel and cause local tissue damage, or potentially even a heart attack, stroke, or death
- The outcome of treatment with fillers will vary among patients. In some Instances, additional treatments may be necessary to achieve the desired outcome. In some patients, the desired results may never be achieved. No studies of interactions of cosmetic fillers with drugs or other substances or implants have been conducted.

## Vampire Facial

Swelling and redness lasting up to 72 hours is possible

### Vampire Breast Lift

You should see improvements immediately, although there is usually a return to prior



Patient Name:	
Procedure:	Date
treatment status in 3 to 5 days as the water is absorbed and prior to the complete action of the cellular regenerative process. Within 2 to 4 weeks you will see improvement with continued positive changes for 12 weeks.	
RESULTS: I understand that due to the natural variation in quality of Platelet rich plasma, results w individuals. I understand that although I may see a change after my first treatment; I may require to obtain my desired outcome. It is recommended that once treatment goals are accomplished, an a likely necessary to maintain results.	multiple sessions to
CONSENT: My consent and authorization for this elective procedure is strictly voluntary. By signing form, I hereby grant authority to the physician/practitioner to perform Platelet Rich Plasma "aka" discussed during our consultation, for the purpose of rejuvenation and regeneration of affected tis informed consent and certify I understand its contents in full. All of my questions have been answered and I consent to the terms of this agreement. I agree to adhere to all safety precautions and instructed treatment. I have been instructed in and understand post treatment instructions and have been given.	PKP injections to area(s) ssue. I have read this ered to my satisfaction actions after the
I understand that medicine is not an exact science and acknowledge that no guarantee has been gi anyone as to the results that may be obtained by this treatment. I also understand this procedure i covered by insurance and that payment is my responsibility. Payment in full for all treatments is re service and is non-refundable.	is "elective" and not
I hereby give my voluntary consent to this PRP procedure and release I Clearfield Medical Group, its staff and specific technicians from liabilityassociated with am competent adult of at least 18 years of age and am not under the influence of alcoholoshall be binding upon my spouse, relative, legal representative, heirs, adminstrators, su that if I should have any questions or concerns regarding my treatment I will notified immediately so that timely follow-up and intervention	the procedure. I certify that I ol or drugs. This consent form uccessors and assigns. I agree
Patient Signature	Date

Physician Signature

Date